Carbohydrate Research, 224 (1992) c3–c4
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Achiwa, K., 123
Adachi, S., 245
Ajisaka, K., 291
Arshava, B. M., 103
Azuma, J.-I., 277

Beaupère, D., 301
Bekker, A. R., 49
Beyer, E. M., 255
Blanc-Muesser, M., 59
Brillouet, J.-M., 219
Browne, P., 285

Calle, P., 19
Chandrasekaran, R., 1
Chun, B., 277
Coleman, A. W., 307
Cserháti, T., 165
Cucinotta, V., 95
Cunningham, D., 285
Czubarow, P., 327

D'Alessandro, F., 95
Das, S., 331
Defaye, J., 29
Demailly, G., 301
Dheilly, L., 301
Driguez, H., 29, 59

El Ashry, E. S. H., 41
El Khadem, H., 327
El Kilany, Y., 41

Fréchou, C., 301
Fujihara, M., 343

Galons, H., 307
Gautier, C., 29
Ghosal, P. K., 331

Haga, M., 237
Hamid, H. A., 41
Hasegawa, A., 175, 185
Hervé du Penhoat, C., 219
Hindsgaul, O., 83
Hirota, T., 245
Honda, A., 201

Ikeda, K., 123
Ilyina, G. S., 255
Impellizzeri, G., 95
Ishida, H., 175
Itoh, T., 245
Iwata, T., 277

Jarosz, S., 73

Katsuragawa, M., 237
Kiho, T., 201, 237
Kiso, M., 175, 185
Kitamura, S., 111, 311
Kobayashi, Y., 141
Köll, P., 273
Kopf, J., 273
Koroteev, M. P., 49
Kozlova, I. K., 255

Lee, E., 285
Lehmann, J., 59
Ling, C.-C., 307

Marchessault, R. H., 133
McArdle, P., 285
Meguro, H., 319
Michon, V., 219
Mikerin, I. E., 103
Mikhaylova, M. A., 255
Miyazaki, T., 209
Morf, M., 273
Morita, M., 319
Moutounet, M., 219
Muramoto, M., 277
Murata, Y., 111, 311

Nagai, K., 201, 237
Nagao, Y., 123
Nagumo, T., 343
Nakajima, H., 245
Nevskii, N. N., 49
Nifant'ev, E. E., 49
Nikitenko, A. A., 103
Nishijima, M., 209

Ogawa, H., 175, 185
Ohrui, H., 319
Okamura, K., 277
Orgeret, C., 29

Parrot-Lopez, H., 307
Petruš, L., 273
Petrušová, M., 273

Radha, A., 1
Raifeld, Yu. E., 103
Rashed, N., 41
Ray, B., 331
Ricard, S., 133
Rioux, P., 133

Saito, K., 209
Sanchez, A., 19
Sandstedt, C., 327
Saulnier, L., 219
Seillier, E., 29
Shirakabe, M., 291
Sieiro, C., 19
Srivastava, G., 83
Stankowski, J. D., 337
Steck, J., 59
Sychev, V. A., 49
Szejtli, J., 165

Takeo, K., 111, 311
Tanaka, K., 141
Thailambal, V. G., 1
Toba, T., 245
Tsuchiya, T., 141

Ukai, S., 201, 237
Umemura, E., 141
Urbahns, K., 59
Uzan, R., 301

Van Boom, J. H., 193
Van der Klein, P. A. M., 193
Vasyanina, L. K., 49
Vecchio, G., 95
Vid, G. Ya., 103
Vigne, L., 59

Wiederschain, G. Ya., 255

Yoshida, I., 201

Zeller, S. G., 337
Zhang, P., 307
Zimmer, B., 273

Carbohydrate Research, 224 (1992) C5–C7
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

O-(*N*-Acetyl-α-neuraminosyl)-(2→9)-*O*-(*N*-acetyl-α-neuraminosyl)-(2→3′)-β-lactosylceramide, synthesis of, 185
S-(*N*-Acetyl-α-neuraminosyl)-(2→9)-*O*-(*N*-acetyl-9-thio-α-neuraminosyl)-(2→3′)-β-lactosylceramide, synthesis of, 175
Action of Cu(II) salts on osazones: side reactions of osotriazole formation, 327
Alginates, effect of the content of D-mannuronic acid and L-guluronic acid blocks on the antitumor activity of, 343
Alkaline degradation of disaccharides in methyl sulfoxide, an e.s.r. study, 19
β-D-Allopyranose 1,3,4,6- and 1,2,3,6-tetra-acetates, n.m.r. and X-ray studies, 285
Allyl-D-xylopyranose and its use in the preparation of xylo-oligosaccharides, a facile synthesis of 4-*O*-, 311
Amanita muscaria, structure and antitumor activity of a branched (1→3)-β-D-glucan from, 237
4,8-Anhydro-3-deoxy-3-nitro-D-*lyxo*-D-*gluco*-nonitol, crystal and molecular structure, 273
Antitumor activity of a branched (1→3)-β-D-glucan from *Amanita muscaria*, 237
Arabinogalactan–protein, investigations of the structure of grape, 219

Cellooligosaccharides, 4-thio-, synthesis and use, for the separation of cellobiohydrolases, 29
Cellulose mixed esters regioselectively substituted by acetyl and propanoyl groups, preparation and n.m.r. assignments of, 277
Chloro-3′-deoxykanamycin A, synthetic study of methyl 3-deoxy-3-fluoro-α-D-glucopyranosides from methyl 2,3-anhydro-α-D-allopyranosides and synthesis of 3′-deoxy-3′-fluorokanamycin A and 3′-, 141
Chlorodimethylthexylsilane, protection of the hydroxyl groups in cyclomaltoheptaose (β-cyclodextrin) by use of, 307
CMP-Kdo synthetase inhibitor (2-deoxy-β-Kdo), synthesis, 319
CMP-sialic acid analogs, synthesis of sialic acid-containing nucleotide sugars:, 123
Crystal and molecular structure of 4,8-anhydro-3-deoxy-3-nitro-D-*lyxo*-D-*gluco*-nonitol, 273
Cyclic sulfates in the synthesis of 6-deoxy-D-*manno*-heptopyranose derivatives, application of, 193
Cyclodextrin, use of chlorodimethylthexylsilane for protecting the hydroxyl groups in, 307
Cyclomaltoheptaose (β-cyclodextrin), synthesis and conformation of dihistamine derivatives of, 95
Cyclomaltoheptaose (β-cyclodextrin), use of chlorodimethylthexylsilane for protecting the hydroxyl groups in, 307
Cyclomalto-oligosaccharides, inclusion complexes of some non-ionic surfactants with, 165

2-Deoxy-β-Kdo, a potent CMP-Kdo synthetase inhibitor, synthesis of, 319
6-Deoxy-D-*manno*-heptopyranose derivatives, application of cyclic sulfates in the synthesis of, 193
Dihistamine derivatives of cyclomaltoheptaose (β-cyclodextrin), synthesis and conformation, 95
Disaccharides, an e.s.r. study of alkaline degradation in methyl sulfoxide, 19
Disaccharides containing an α-L-fucosyl group, synthesis by use of α-L-fucosidases of, 291

E.s.r. study of the alkaline degradation of disaccharides in methyl sulfoxide, 19

Ferrites in lignocellulosics, *in situ* synthesis of, 133
Fluorokanamycin A and 3′-chloro-3′-deoxykanamycin A, synthetic study of methyl 3-deoxy-3-fluoro-α-D-glucopyranosides from methyl 2,3-anhydro-α-D-allopyranosides and synthesis of 3′-deoxy-3′-, 141
α-L-Fucosyl-containing disaccharides, synthesis by use of α-L-fucosidases of, 291

Ganglioside GD_3, synthesis of a position isomer having an α-Neu5Ac-(2→9)-α-Neu5Ac linkage, 185
Ganglioside GD_3, synthesis of a thioglycosidically linked, position-isomeric analog of, 175
Gellan double helix: an X-ray study, roles of potassium ions, acetyl and L-glyceryl groups in native, 1
(1→3)-β-D-Glucan from the alkaline extract of *Amanita muscaria*, structure and antitumor actvity, 237
(1→3)-α-D-Glucans and (1→3)-β-D-glucans, *O*-(carboxymethyl)ated, the distribution of carboxymethyl groups in, 201
D-*glycero*-Pentose and its ethyl furanosides, 2,3-dideoxy-3-*C*-methylene-, total stereo- and enantio-selective synthesis of, 103

Glycolipid hydrolases, human lysosomal, use of glycosides of 6- and 8-acylamino-4-methylumbelliferone in the study of, 255
C-Glycosyl compounds, synthesis by a Wittig-type reaction promoted by zinc of, 301
Grape arabinogalactan–protein, investigations of the structure of, 219
L-Guluronic acid and D-mannuronic acid blocks, effect on the antitumor activity of alginates of the content of, 343

Heptopyranose derivatvies, application of cyclic sulfates in the synthesis of 6-deoxy-D-*manno*-, 193
Heteroglycan isolated from the fungus *Omphalia lapidescens*, structure of a, 209
Higher-carbon sugars, preparation by stereoselective osmylation of related allylic alcohols, 73

In situ synthesis of ferrites in lignocellulosics, 133
Inclusion complexes of some non-ionic surfactants with cyclomalto-oligosaccharides, 165
Inhibitors of pancreatic alpha-amylase, spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic maltotriose as competitive, 59
Investigations of the structure of grape arabinogalactan–protein, 219

Lactococcus lactis subsp. *cremoris* SBT 0495, structure of the extracellular polysaccharide from slime-forming, 245
Lignocellulosics, *in situ* synthesis of ferrites in, 133

Maltotriose, spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic, as competitive inhibitors of pancreatic alpha-amylase, 59
D-Mannuronic acid and L-guluronic acid blocks, effect on the antitumor activity of alginates of the content of, 343
4-Methylumbelliferone glycosides, 6- and 8-acylamino-, use in the study of human lysosomal glycolipid hydrolases of, 255

N.m.r. study of the 1,3,4,6- and 1,2,3,6-tetra-acetates of β-D-allopyranose and the X-ray structure of the former, 285
Nelumbo nucifera, structural studies of a polysaccharide from the seeds of, 331
Nigero-oligosaccharides, synthesis of, 111
Nonitol, crystal and molecular structure of 4,8-anhydro-3-deoxy-3-nitro-D-*lyxo*-D-*gluco*-, 273
C-Nucleoside analogues, novel types of acyclic, *via* the reaction of hydrogen bromide in acetic acid with L-*threo*-(glycerol-1-yl)-pyrazolinediones, 41

Omphalia lapidescens, structure of a heteroglycan isolated from the fungus, 209
Osazones: side reactions of osotriazole formation, action of Cu(II) salts on, 327
Osmylation of allylic alcohols, preparation of higher-carbon sugars by stereoselective, 73
Osotriazole formation, action of Cu(II) salts on osazones: side reactions of, 327

Pentasaccharide that would be formed by glycosylation of a tetrasaccharide acceptor with a β(1→3)-*N*-acetylglucosaminyltransferase, synthesis of a, 83
1,2,4-Phosphites of α-D-xylopyranose, synthesis, structure, and transformations, 49
Polysaccharide from the seeds of *Nelumbo nucifera*, structural studies of a, 331
Preparation and n.m.r. assignments of cellulose mixed esters regioselectively substituted by acetyl and propanoyl groups, 277
Preparation of higher-carbon sugars by stereoselective osmylation of related allylic alcohols, 73
Pyrazolinediones, L-*threo*-(glycerol-1-yl)pyrazolinediones, novel types of acyclic *C*-nucleosides, 41

Reductive-cleavage method, location of the *O*-acetyl group in welan by, 337
Regioselectively substituted by acetyl and propanoyl groups, preparation and n.m.r. assignments of cellulose mixed esters, 277
Roles of potassium ions, acetyl and L-glyceryl groups in native gellan double helix: an X-ray study, 1

Sialic acid-containing nucleotide sugars: CMP-sialic acid analogs, synthesis of, 123
S-(α-Sialosyl)-(2→9)-*O*-(9-thio-α-sialosyl)-(2→3′)-β-lactosylceramide, synthesis of an, 175
Spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic maltotriose, as competitive inhibitors of pancreatic alpha-amylase, 59
Structure of a heteroglycan isolated from the fungus *Omphalia lapidescens*, 209
Structure of the extracellular polysaccharide from slime-forming *Lactococcus lactis* subsp. *cremoris* SBT 0495, 245
Surfactants, inclusion complexes with cyclomalto-oligosaccharides of some non-ionic, 165
Synthesis and conformation of dihistamine derivatives of cyclomaltoheptaose (β-cyclodextrin), 95
Synthesis of 4-*O*-allyl-D-xylopyranose and its use in the preparation of xylo-oligosaccharides, a facile, 311

Synthesis of a tetrasaccharide acceptor for use in the assay of a β(1→3)-*N*-acetylglucosaminyltransferase and the pentasaccharide that would be formed by its enzymic glycosylation, 83
Synthesis of nigero-oligosaccharides, 111
Synthesis of sialic acid-containing nucleotide sugars: CMP-sialic acid analogs, 123
Synthesis, structure, and transformations of 1,2,4-phosphites of α-D-xylopyranose, 49
Synthetic study of methyl 3-deoxy-3-fluoro-α-D-glucopyranosides from methyl 2,3-anhydro-α-D-allopyranosides and synthesis of 3′-deoxy-3′-fluorokanamycin A and 3′-chloro-3′-deoxykanamycin A, 141

Tetra-acetates of β-D-allopyranose, n.m.r. and X-ray studies of the 1,3,4,6- and 1,2,3,6-, 285
Tetrasaccharide acceptor for use in the assay of a β(1→3)-*N*-acetylglucosaminyltransferase, synthesis of a, 83
Trichoderma reesei, separation by affinity chromatography of cellobiohydrolases of, 29

Umbelliferone glycosides, 4-methyl-6- and -8-acylamino-, use in the study of hydrolases of, 255

Welan, location of the *O*-acetyl group in, by the reductive-cleavage method, 337
Wittig-type reaction promoted by zinc, synthesis of *C*-glycosyl compounds by a, 301

X-Ray study, roles of potassium ions, acetyl and L-glyceryl groups in native gellan double helix: an, 1
Xylo-oligosaccharides, a facile synthesis of 4-*O*-allyl-D-xylopyranose and its use in the preparation of, 311
α-D-Xylopyranose 1,2,4-phosphites, synthesis, structure, and transformations, 49

Zinc, synthesis of *C*-glycosyl compounds by a Wittig-type reaction promoted by, 301